

Building a Fully Connected, Intelligent World

# HUAWEI IdeaHub

## New Style Smart Office



# HUAWEI IdeaHub

Leveraging extensive expertise in audiovisual technology, native OS, software and hardware system engineering, full-stack AI capabilities, and native cloud services, we offer an all-in-one collaboration device for enterprise scenarios.

It seamlessly integrates with diverse terminals and a rich office cloud ecosystem, enhancing productivity through device-cloud collaboration. Additionally, it can integrate with professional conferencing systems to drive industry digital transformation.

**31 years**

Exploration in audiovisual technologies

**4000+**

Partners

**170+**

Countries/Regions covered

**700+**

Global patents

# HUAWEI IdeaHub Products

## High-End Flagship Series



### Flagship

HUAWEI IdeaHub ES2 Plus  
Galileo's eyes, dual mirroring and control, Bring Your Own Meeting (BYOM), and 4K video meeting



### Efficient

HUAWEI IdeaHub ES2  
HD meeting, Bring Your Own Meeting (BYOM), Wi-Fi 6 for direct projection, and standout performance



### Versatile

HUAWEI IdeaHub S2  
HD meeting, Bring Your Own Meeting (BYOM), and Wi-Fi 6 for direct projection



### Pioneering

HUAWEI IdeaHub K3  
Comfort and health, engaging interactions, and thriving ecosystem

## Cloud Meeting Basic Series



### Flexible

HUAWEI IdeaHub B3  
Bring Your Own Meeting (BYOM), Wi-Fi 6 for direct projection, and speaker tracking



### Affordable

HUAWEI IdeaHub B2  
HD meeting, intelligent whiteboard, and dual Wi-Fi projection



### Interactive

HUAWEI IdeaHub Board 2  
4K anti-blue light screen, intelligent whiteboard, and easy projection



### Elegant

HUAWEI IdeaHub Board 3 Pro  
4K anti-blue light screen, dual mirroring and control, Wi-Fi 6 for direct projection, 16 ms low latency

## IdeaManager: Intelligent O&M Platform



- Remotely manages and controls up to 50,000 IdeaHubs, and supports batch configuration, upgrade, and shutdown.
- Provides quick fault rectification, device status statistics, inspection fault alarms, and self-service fault diagnosis.
- Supports precise advertisement push by pushing startup animations and bulletin boards.

### Notes:

\*The platform can be deployed on virtual machines (VMs) or physical servers.

## IdeaHub Optional Accessories



### IdeaShare Key (Type-A)

Easy projection, clear display



### IdeaShare Key (Type-C)

Projection with just a press (BYOM supported)



### OPS

Extended support for Windows



### IdeaHub Controller

Convenient conference control commands



### CloudLink Touch

Seamless call and conference control



### C200-HW

12x optical zoom and 4K UHD PTZ camera



### CloudLink Mic 500 Series

Microphone array, for sound pickup within 6 m



### M100 series

USB cable/Bluetooth/Bluetooth adapter, plug-and-play

### Notes:

\*CloudLink Touch and CloudLink Mic 500 series are supported only by IdeaHub ES2 Plus, ES2, and S2.

\*Product pictures and display content in this datasheet are for reference only. Actual product specifications and display content (including but not limited to backgrounds, interfaces, and illustrations) may vary.



# IdeaHub Product Highlights



## All-in-one endpoint Multiple functions

- 4K anti-blue light screen
- Professional 4K camera dedicated for video meetings
- 12 m long-distance sound pickup\* and stereo speaker



## Cross-terminal collaboration

- Dual mirroring and control
- Network-free projection\*
- 4K content sharing



## Intelligent meeting Immersive experience

- Native HD cloud meeting\*
- BYOM
- Intelligent tracking and acoustic baffle\*



## Intelligent whiteboard Smooth handwriting

- Minimum 16 ms low writing latency
- Intelligent writing recognition
- Co-authoring



## Intelligent O&M Remote management

- Centralized endpoint management and control
- Fast diagnosis of faults
- Advertisement push



## Ultimate security Full-link protection

- Secure communications
- Data protection
- System protection

### Notes:

\*12 m long-distance sound pickup is supported by IdeaHub ES2 Plus, ES2, and S2.

\*Network-free projection: Peer-to-peer device connection technology based on Wi-Fi Direct.

\*Native HD cloud meeting: Subject to the cloud service coverage in the local country/region.

\*Acoustic baffle is supported by IdeaHub ES2 Plus, ES2, and S2.

\*Features supported only by IdeaHub ES2 Plus, ES2, S2, and B3: network-free projection, BYOM, intelligent tracking, and dual mirroring and control

# Application Scenarios




Regular Meeting Room




Executive Office




Open Area



Multimedia Room



Information Desk



Digital Classroom



# HUAWEI IdeaHub ES2 Plus

Intelligent Evolution, Limitless Collaboration

Galileo's eyes | Dual mirroring and control | BYOM



## Galileo's eyes

Intelligent triple-lens camera



## Dual mirroring and control

Enhancing connectivity between IdeaHub and personal devices



## BYOM

Transfer PC meetings to the IdeaHub



## Intelligent tracking 3.0

60% portrait proportion within 8 meters



## Acoustic baffle



## 12-meter

Ultra-long-distance sound pickup



## 4K video meeting

SIP/H.323



## High-definition

Huawei Cloud Meeting



## 16 ms

Ultra-low writing latency



## Wi-Fi direct projection

Network-free projection via Wi-Fi 6



## 4K doubled frame rate

Convert 30 fps video streams to 60 fps



## TÜV Rheinland

Low Blue Light (Hardware Solution) Certification



## 12 GB RAM 64 GB Flash



## CC EAL6+

Highest level of security certification



# HUAWEI IdeaHub ES2

## New Style Smart Office

BYOM | Wi-Fi 6 for direct projection | HD cloud conferencing



### 1080p video meeting

SIP/H.323



### High-definition

Huawei Cloud Meeting



### Intelligent tracking



### Acoustic baffle



### 12-meter

Ultra-long-distance sound pickup



### Wi-Fi 6 for direct projection

One-step projection with Wi-Fi 6



### BYOM

Transfer PC meetings to the IdeaHub



### Dual mirroring and control



### 16 ms

Ultra-low writing latency



### Multi-Window

Two apps on one screen




### TÜV Rheinland

Low Blue Light (Hardware Solution) Certification



12 GB RAM  
64 GB Flash



### CC EAL6+

Highest level of security certification



# HUAWEI IdeaHub S2

## New Style Smart Office

BYOM | Wi-Fi 6 for direct projection | HD cloud conferencing



### Wi-Fi 6 for direct projection

One-step projection with Wi-Fi 6



### BYOM

Transfer PC meetings to the IdeaHub



### Dual mirroring and control



### FHD video meeting

Professional camera



### 12-meter

Ultra-long-distance sound pickup



### Intelligent tracking



### High-definition

Huawei Cloud Meeting



### Acoustic baffle



### Multi-Window

Two apps on one screen



### 16 ms

Ultra-low writing latency




### TÜV Rheinland

Low Blue Light (Hardware Solution) Certification



8 GB RAM  
64 GB Flash



### CC EAL6+

Highest level of security certification





# HUAWEI IdeaHub B3

## New Style Smart Office

BYOM | AI-powered communication | Smart office collaboration



### BYOM

Transfer PC meetings to the IdeaHub



### Professional-grade 4K camera

Intelligent meeting experience



### High-definition

Huawei Cloud Meeting



### Intelligent tracking



### 10-meter

long-distance sound pickup



### Wi-Fi 6 for direct projection

One-step projection with Wi-Fi 6




### Multi-Window



### Dual mirroring and control

Enhancing connectivity between IdeaHub and personal devices



### 16 ms

Ultra-low writing latency




### TÜV Rheinland

Low Blue Light (Hardware Solution) Certification



### 8 GB RAM 64 GB Flash



### CC EAL6+

Highest level of security certification




# HUAWEI **IdeaHub B2**

## New Style Smart Office

HD cloud meetings | Intelligent whiteboard | Enterprise-class security



### 4K professional camera




### 1080p cloud meeting

Native adaptation to Huawei Cloud



### Multiple projection modes



### TÜV Rheinland

Low Blue Light (Hardware Solution) Certification




### 25 ms

writing latency



### Intelligent writing

Convert handwriting into digital forms



### 10-meter

long-distance sound pickup



### Dual Wi-Fi modules for easy projection



### 4K soft light screen



### Anti-glare




### High-fidelity stereo



### Switch between dual systems in one tap



### 4 GB RAM 32 GB Flash



### E2E security protection



# HUAWEI IdeaHub Board 3 Pro

## Reimagine Your **Smart Workplaces**

Seamless collaboration | Ultimate experience | Security and health



### 4K soft light screen

Optical anti-blue light with zero color cast



### Unrivalled computing

2.5x the performance



### Dual mirroring and control

IdeaHub on your fingertips



### Intelligent O&M

Manage millions of devices anytime, anywhere




### Dynamic bulletin board

New enterprise marketing platform



### 16 ms

Ultra-low writing latency



### Multi-Window



### Wi-Fi Direct projection

Network-free projection via Wi-Fi 6




### 8-core CPU

High performance



### 10m

Ultra-far sound pickup



### CC EAL6+

High-level security certification





# HUAWEI IdeaHub K3

## Pioneering Smart Education

Comfort and health | Engaging interactions |  
Thriving ecosystem



### Ultra-wide angle of view

Full classroom coverage



### Student writes Teacher comments

Multi-screen collaboration



### Optical

anti-blue light  
Hardware-level




### Better reachability

Write easily



### 16 ms

Ultra-low writing latency



### Wi-Fi Direct projection

project lesson  
materials easily



### Multiple projection modes



### Remote multimedia interaction



### Extensive teaching apps



### Electronic blackboard




### One-tap switchover between two systems



### 8-core CPU

High performance



### 12 GB RAM 128 GB Flash



### CC EAL6+

High-level security  
certification





## HUAWEI IdeaHub Board 2

Bring Digital to Every Classroom  
for Interactive Teaching and Immersive Learning

**1.07 billion  
colors for  
natural display**



**4K  
soft light screen**



**TÜV Rheinland**

Low Blue Light (Hardware  
Solution) Certification



**Anti-glare**

Clear images even under  
strong light



**Dual Wi-Fi  
modules for  
easy projection**



**Multiple projection  
modes**



**Type-C**

Multiple interfaces for  
flexible connection




**25 ms  
writing latency**



**Intelligent writing**


Convert handwriting into  
digital forms



**E2E  
security protection**






**Openness and  
compatibility**



**One-tap switchover  
between two systems**






			
<b>Product name</b>	IdeaHub ES2 Plus	IdeaHub ES2	IdeaHub S2
<b>Color</b>	Titanium gray	Titanium gray	Jade white
<b>Product model</b>	86": IHE2-861A	65": IHE2-65SA 75": IHE2-75SA 86": IHE2-86SA	65": IHS2-65SA 75": IHS2-75SA 86": IHS2-86SA
<b>Product dimensions (H x W x D)</b>	86": 1232.8 mm x 1953.0 mm x 91.8 mm	65": 947.5 mm x 1484.5 mm x 91.6 mm 75": 1071.9 mm x 1705.7 mm x 91.8 mm 86": 1212.0 mm x 1953.0 mm x 91.8 mm	65": 947.5 mm x 1484.5 mm x 91.6 mm 75": 1071.9 mm x 1705.7 mm x 91.8 mm 86": 1212.0 mm x 1953.0 mm x 91.8 mm
<b>Package dimensions (H x W x D)</b>	86": 1300 mm x 2090 mm x 250 mm	65": 1050 mm x 1650 mm x 220 mm 75": 1170 mm x 1900 mm x 220 mm 86": 1300 mm x 2090 mm x 250 mm	65": 1050 mm x 1650 mm x 220 mm 75": 1170 mm x 1900 mm x 220 mm 86": 1300 mm x 2090 mm x 250 mm
<b>Net/Gross weight (including the package)</b>	86": 63.7 kg/76.9 kg	65": 35.5 kg/43.0 kg 75": 47.0 kg/57.0 kg 86": 62.0 kg/73.5 kg	65": 35.5 kg/43.0 kg 75": 47.0 kg/57.0 kg 86": 62.0 kg/73.5 kg
<b>Screen</b>	4K	4K	4K
<b>Camera</b>	4K triple-lens camera	4K	4K
<b>Microphone</b>	12-meter sound pickup	12-meter sound pickup	12-meter sound pickup
<b>Speaker</b>	40 W	40 W	40 W
<b>Meeting</b>	4K/1080p on-premises meeting 1080p Huawei Cloud Meeting BYOM	1080p on-premises meeting 1080p Huawei Cloud Meeting BYOM	1080p on-premises meeting 1080p Huawei Cloud Meeting BYOM
<b>Intelligent feature</b>	Intelligent tracking (speaker tracking and Auto-Framing) Acoustic baffle	Intelligent tracking (speaker tracking and Auto-Framing) Acoustic baffle	Intelligent tracking (speaker tracking and Auto-Framing) Acoustic baffle
<b>Projection</b>	IdeaShare app (Wi-Fi Direct projection supported) Miracast HDMI and Type-C cables IdeaShare Key	IdeaShare app (Wi-Fi Direct projection supported) Miracast HDMI and Type-C cables IdeaShare Key	IdeaShare app (Wi-Fi Direct projection supported) Miracast HDMI and Type-C cables IdeaShare Key
<b>Writing</b>	16 ms writing latency	16 ms writing latency	16 ms writing latency
<b>CPU</b>	8 cores	8 cores	8 cores
<b>RAM + Flash</b>	12 GB + 64 GB	12 GB + 64 GB	8 GB + 64 GB
<b>OS</b>	HarmonyOS Windows (OPS required)	HarmonyOS Windows (OPS required)	HarmonyOS Windows (OPS required)
<b>Port</b>	<div> <div>Front-panel port</div> <div> <div>1 x Type-C</div> <div>2 x USB 3.0</div> </div> </div> <div> <div>Side-panel port</div> <div> <div>1 x USB 3.0</div> <div>1 x HDMI OUT</div> <div>1x HDMI IN (S2/ES2)</div> </div> </div> <div> <div>1 x COM port</div> <div>2 x HDMI IN (ES2 Plus)</div> </div> <div> <div>1 x 3.5 mm Line-out</div> <div>1 x 3.5 mm Line-in</div> </div> <div> <div>1 x RJ45</div> <div>1 x Touch port</div> <div>1 x HDAI</div> </div>		

#### Notes:



\*The specifications and performance in this datasheet are for reference only. The actual data may vary depending on the version being used.



			
<b>Product name</b>	IdeaHub B3	IdeaHub B2	IdeaHub Board 3 Pro
<b>Color</b>	Jade white	Jade white	Jade white
<b>Product model</b>	65": IHB3-65SA 75": IHB3-75SA 86": IHB3-86SA	65": IHB2-65PU 75": IHB2-75PU 86": IHB2- 86PU	IHB2-65PB IHB2-75PB IHB2-86PB
<b>Product dimensions (H x W x D)</b>	65": 916.1 mm x 1484.5 mm x 91.6 mm 75": 1040.5 mm x 1705.7 mm x 91.8 mm 86": 1180.6 mm x 1953.0 mm x 91.8 mm	65": 916.1 mm x 1484.5 mm x 91.6 mm 75": 1040.5 mm x 1705.7 mm x 91.8 mm 86": 1180.6 mm x 1953.0 mm x 91.8 mm	65": 916.1 mm x 1484.5 mm x 91.6 mm 75": 1040.5 mm x 1705.7 mm x 91.8 mm 86": 1180.6 mm x 1953.0 mm x 91.8 mm
<b>Package dimensions (H x W x D)</b>	65": 1050 mm x 1650 mm x 220 mm 75": 1170 mm x 1900 mm x 220 mm 86": 1300 mm x 2090 mm x 250 mm	65": 1050 mm x 1650 mm x 220 mm 75": 1170 mm x 1900 mm x 220 mm 86": 1300 mm x 2090 mm x 250 mm	65": 1050 mm x 1650 mm x 220 mm 75": 1170 mm x 1900 mm x 220 mm 86": 1300 mm x 2090 mm x 250 mm
<b>Net/Gross weight (including the package)</b>	65": 35.5 kg/43.0 kg 75": 47.8 kg/57.8 kg 86": 63.0 kg/74.5 kg	65": 35.8 kg/43.3 kg 75": 47.8 kg/57.8 kg 86": 63.0 kg/74.5 kg	65": 35.8 kg/42.7 kg 75": 47.8 kg/56.7 kg 86": 63.0 kg/73.1 kg
<b>Screen</b>	4K	4K	4K
<b>Camera</b>	4K	4K	4K
<b>Microphone</b>	10-meter sound pickup	10-meter sound pickup	10-meter sound pickup
<b>Speaker</b>	30 W	30 W	30 W
<b>Meeting</b>	1080p Huawei Cloud Meeting BYOM	1080p Huawei Cloud Meeting	1080p Huawei Cloud Meeting
<b>Intelligent feature</b>	ntelligent tracking (speaker tracking and Auto-Framing)	/	/
<b>Projection</b>	IdeaShare app (Wi-Fi Direct projection supported) Miracast HDMI and Type-C cables IdeaShare Key	IdeaShare app HDMI and Type-C cables IdeaShare Key	IdeaShare app (Wi-Fi Direct projection supported) Miracast HDMI and Type-C cables IdeaShare Key
<b>Writing</b>	16 ms writing latency	25 ms writing latency	16 ms writing latency
<b>CPU</b>	8 cores	4 cores	8 cores
<b>RAM + Flash</b>	8 GB + 64 GB	4 GB + 32 GB	8 GB + 64 GB
<b>OS</b>	HarmonyOS Windows (OPS required)	Android Windows (OPS required)	HarmonyOS Windows (OPS required)
<b>Port</b>	Front-panel port 1 x Type-C 2 x USB 3.0	Side-panel port 1 x USB 3.0 1 x HDMI OUT 1 x COM port 1 x 3.5 mm Line-out 1 x RJ45 1 x USB Type-B (B2) 2 x HDMI IN 1 x 3.5 mm Line-in	1 x Type-C 2 x USB 3.0 2 x USB 2.0 1 x USB 3.0 1 x Type-B 1 x HDMI OUT 2 x HDMI IN 1 x 3.5 mm Line-out 1 x 3.5 mm Line-in 1 x RJ45 (10/100/1000 Mbit/s LAN) 1 x COM port

#### Notes:

\*The specifications and performance in this datasheet are for reference only. The actual data may vary depending on the version being used.

		
<b>Product name</b>	IdeaHub K3	IdeaHub Board 2
<b>Color</b>	Titanium gray	Jade white
<b>Product model</b>	65": IHK3-65SA 75": IHK3-75SA 86": IHK3- 86SA	65": IHB2-65SU 75": IHB2-75SU 86": IHB2- 86SU
<b>Product dimensions (H x W x D)</b>	65": 916.1mm × 1484.5mm × 91.6mm 75": 1040.5mm × 1705.7mm × 91.8mm 86": 1180.6mm × 1953.0mm × 91.8mm	65": 892.5 mm x 1484.5 mm x 91.6 mm 75": 1016.9 mm x 1705.7 mm x 91.8 mm 86": 1157.0 mm x 1953.0 mm x 91.8 mm
<b>Package dimensions (H x W x D)</b>	65": 1050mm × 1650mm × 220mm 75": 1170mm × 1900mm × 220mm 86": 1300mm × 2090mm 250mm	65": 1050 mm x 1650 mm x 220 mm 75": 1170 mm x 1900 mm x 220 mm 86": 1300 mm x 2090 mm x 250 mm
<b>Net/Gross weight (including the package)</b>	65": 35.5kg/ 43.0 kg 75": 47.8 kg/ 57.8 kg 86": 63.0 kg/ 74.5 kg	65": 35.2 kg/ 42.7 kg 75": 46.7 kg/ 56.7 kg 86": 61.06kg/ 73.1 kg
<b>Screen</b>	4K	4K
<b>Camera</b>	Supported	/
<b>Microphone</b>	Supported	/
<b>Speaker</b>	Supported	Supported
<b>Meeting</b>	Supported	/
<b>Projection</b>	IdeaShare app (Wi-Fi Direct projection supported) Miracast HDMI and Type-C cables IdeaShare Key	IdeaShare app HDMI and Type-C cables IdeaShare Key
<b>Writing</b>	16 ms writing latency	25 ms writing latency
<b>CPU</b>	8 cores	4 cores
<b>RAM + Flash</b>	12 GB+128 GB	4 GB + 32 GB
<b>OS</b>	HarmonyOS Windows (OPS required)	Android Windows (OPS required)
<b>Port</b>	Front-panel port 1 x Type-C 2 x USB 3.0	Side-panel port 3 x USB 3.0 (K3) 1 x USB 3.0 (Board 2) 1 x HDMI OUT 1 x 3.5 mm Line-out 1 x USB Type-B 2 x HDMI IN 1 x 3.5 mm Line-in 1 x RJ45 1 x COM port



#### Notes:

\*The specifications and performance in this datasheet are for reference only. The actual data may vary depending on the version being used.

Copyright © Huawei Technologies Co., Ltd. 2024. All rights reserved.

No part of this document may be reproduced or transmitted in any form or by any means without the prior written consent of Huawei Technologies Co., Ltd.

#### Trademarks and Permissions

 **HUAWEI**, **HUAWEI**,  are trademarks or trade names of Huawei Technologies Co., Ltd. All other trademarks, product names, service names, and company names mentioned in this document are the property of their respective holders.

#### Disclaimers

The technical specifications described in this document include but are not limited to parameters and performance indicators and vary depending on the actual release. This document does not constitute a warranty of any kind, expressed or implied. Huawei may update relevant information from time to time. Huawei reserves the right to update or correct the information about related products or solutions. Updates are described in detail in the latest release notes or introduction.

#### Huawei Technologies Co., Ltd.

Huawei Industrial Base, Bantian, Longgang, Shenzhen

Tel: (0755) 28780808

Post code: 518129

[www.huawei.com](http://www.huawei.com)

Updated: June 2024



Huawei Intelligent  
Collaboration official website